

Material Safety Data Sheet TEMPO® 20 WP INSECTICIDE

MSDS Number: 102000007122 MSDS Version 1.2 Revision Date: 05/20/2010

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product name TEMPO® 20 WP INSECTICIDE

MSDS Number 102000007122

PCP Registration No. 25673

Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)

For Product Information call: 1-888-283-6847

SECTION 2. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if swallowed, inhaled or absorbed through the skin. Keep out of

reach of children and animals. Avoid breathing dust or spray mist.

Physical State solid powder

Appearance tan

Exposure routes Inhalation, Skin Absorption, Eye contact, Skin contact

Immediate Effects

Eye Wear protective eyewear. Mild eye irritation Avoid contact with eyes.

Skin Mild skin irritant. May cause a transient, localized paresthesia, characterized by

tingling, burning or numbness sensation in some individuals. Avoid contact with

skin and clothing.

Ingestion Harmful if swallowed.

Inhalation Avoid breathing dust or spray mist. Mist may cause irritation involving the nose.

throat and upper respiratory tract during the end use of the product such as

during a spray application.

Chronic or Delayed

Long-Term

This product is not listed as a carcinogen by ACGIH, NTP, IARC or OSHA. However, it may contain crystalline silica (quartz), a substance which has been listed as a carcinogen by ACGIH, NTP and IARC. Crystalline silica is a naturally-

occurring mineral component of many sands and clays. Although the

carcinogenic potential of crystalline silica in humans is controversial, it must be considered if it is inhaled under excessive exposure conditions. The respirable portion of the silica that may be contained in this product, however, is small, such that inhalation exposure during anticipated conditions of use is minimal.



Material Safety Data Sheet TEMPO® 20 WP INSECTICIDE

MSDS Number: 102000007122 MSDS Version 1.2

Medical Conditions Aggravated by Exposure

No specific medical conditions are known which may be aggravated by exposure to this product. As with all materials which can cause upper respiratory tract irritation, persons with a history of asthma, emphysema, or hyperreactive airways disease may be more susceptible to overexposure. Pulmonary and respiratory diseases may be aggravated by exposure to respirable crystalline silica.

Potential Environmental

Highly toxic to bees. Toxic to fish and aquatic organisms.

Effect

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Average % by Weight **Hazardous Component Name** CAS-No. Cyfluthrin 68359-37-5 20.00 Quartz (Silica, Crystalline) 14808-60-7

SECTION 4. FIRST AID MEASURES

Crystalline quartz (respirable)

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately

with plenty of water for at least 15 minutes. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give

water in small sips to drink. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. Never give anything by mouth to an

unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to physician

Treatment Treat symptomatically. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

Flash point not applicable



MSDS Number: 102000007122 MSDS Version 1.2

Material Safety Data Sheet TEMPO® 20 WP INSECTICIDE

Autoignition temperature Not combustible.

Lower Flammability

Limit

not applicable

Upper Flammability Limit not applicable

Suitable extinguishing

media

Water, Dry chemical

Fire Fighting Instructions

Fight fire from upwind position. Evacuate personnel to safe areas. Do not allow

run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus

and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled

product or contaminated surfaces. Do not enter confined spaces unless

adequately ventilated. Use personal protective equipment.

Methods for cleaning up Clean contaminated floors and objects thoroughly, observing environmental

regulations. Collect and transfer the product into a properly labelled and tightly

closed container. Decontaminate tools and equipment following cleanup.

Additional advice Information regarding personal protective equipment, see section 8.

SECTION 7. HANDLING AND STORAGE

Handling procedures Use only in area provided with appropriate exhaust ventilation.

Keep away from heat and sources of ignition.

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross

contamination with other crop protection products, fertilizers, food, and feed.

Keep containers tightly closed in a dry, cool and well-ventilated place.

The 60-day storage temperature average must not exceed the recommended

maximum.

Work/Hygienic Procedures

Wash thoroughly with soap and water after handling.

Min/Max Storage Temperatures

Recommended maximum transport/storage temperature: 50 °C / 122 °F



Material Safety Data Sheet TEMPO® 20 WP INSECTICIDE

MSDS Number: 102000007122 MSDS Version 1.2

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye/Face Protection Tightly fitting safety goggles

Hand protection Chemical resistant nitrile rubber gloves

Body Protection Long-sleeved shirt and long pants

shoes plus socks

Respiratory protection When respirators are required, select NIOSH approved equipment based on

actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Quartz (Silica, Crystalline)	14808-60-7	OEL (QUE)	TWA	0.1 mg/m3
,		CAD AB OEL	TWA	0.1 mg/m3
		CAD BC OEL	TWA	0.025 mg/m3
		CAD ON OEL	TWAEV	0.10 mg/m3
		OEL (QUE)	TWA	0.1 mg/m3
		CAD BC OEL	TWA	0.025 mg/m3
Cyfluthrin	68359-37-5	OES BCS*	TWA	0.01 mg/m3

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance tan

Physical State solid powder

Vapor Density (Air = 1) no data available

Bulk density 20 - 26 lb/ft³

Evaporation rate no data available

Boiling Point not applicable

Melting / Freezing Point no data available

Partition coefficient: n-

octanol/water

no data available

SECTION 10. STABILITY AND REACTIVITY



MSDS Number: 102000007122 MSDS Version 1.2

Material Safety Data Sheet TEMPO® 20 WP INSECTICIDE

Conditions to avoid Heat, flames and sparks.

Exposure to moisture.

Incompatibility methanol

Alkali metals

Alkaline earth metals

Bases Light metals

Chemical Stability Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on this product as formulated. The non-acute information pertains to the active ingredient, cyfluthrin.

Acute oral toxicity male rat: LD50: 3,084 mg/kg

female rat: LD50: 1,733 mg/kg

Acute dermal toxicity male/female combined rabbit: LD50: > 2,000 mg/kg

Acute inhalation toxicity male/female combined rat: LC50: > 1.18 mg/l

Exposure time: 4 h

Determined in the form of dust. Highest attainable concentration.

(actual)

male/female combined rat: LC50: > 4.72 mg/l

Exposure time: 1 h

Determined in the form of dust. Highest attainable concentration. Extrapolated from the 4 hr LC50.

(actual)

Skin irritation rabbit: slight irritation

Eye irritation rabbit: Mild eye irritation

Sensitisation guinea pig: Non-sensitizing.

Chronic toxicity Cyfluthrin caused clinical signs of toxicity including neurological symptoms in

chronic studies in rats and dogs.

Assessment Carcinogenicity

Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH



Material Safety Data Sheet TEMPO® 20 WP INSECTICIDE

MSDS Number: 102000007122 MSDS Version 1.2

Quartz (Silica, Crystalline) 14808-60-7 Group A2

NTP

Crystalline quartz (respirable)

IARC

Quartz (Silica, Crystalline) 14808-60-7 Overall evaluation: 1

OSHA None.

Reproductive toxicity REPRODUCTION: Cyfluthrin caused toxicity in offspring at doses producing

systemic toxicity in adult rats.

DEVELOPMENTAL TOXICITY: Cyfluthrin was not a primary developmental toxicant in rats and rabbits. Developmental effects were observed but were

considered secondary to maternal toxicity.

Neurotoxicity Cyfluthrin caused neurobehavioral effects and/or minimal nerve damage in

neurotoxicity studies in mice, rats and hens.

Mutagenicity Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo

tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental precautions

Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label. Do not allow to get into surface water, drains and ground water. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Do not contaminate water, food, or feed by disposal. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. Pesticide wastes are acutely toxic and hazardous.

Container Disposal

Do not re-use empty containers. Not completely emptied packagings should be disposed of as hazardous waste.

SECTION 14. TRANSPORT INFORMATION

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.



Material Safety Data Sheet TEMPO® 20 WP INSECTICIDE

MSDS Number: 102000007122 MSDS Version 1.2

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15. REGULATORY INFORMATION

PCP Registration No. 25673

US Federal Regulations

TSCA list

Quartz (Silica, Crystalline) 14808-60-7

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Cyfluthrin 68359-37-5 1.0%

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Crystalline quartz (respirable)

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Cyfluthrin 68359-37-5 NJ Quartz (Silica, Crystalline) 14808-60-7 IL, MA

Canadian Regulations

Canadian Domestic Substance List

Quartz (Silica, Crystalline) 14808-60-7

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Quartz (Silica, Crystalline) 14808-60-7



Material Safety Data Sheet TEMPO® 20 WP INSECTICIDE

MSDS Number: 102000007122 MSDS Version 1.2

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Reactivity - 1 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: The following sections have been revised: Section 3: Composition / Information on Ingredients. Updated for general editorial purposes.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 05/20/2010

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.